

IL LICOPENE: UN CAROTENOIDE DALLE PROMETTENTI PROPRIETÀ SALUTISTICHE

Bibliografia

- De Felice S. 1989. The Nutraceutical Revolution: Fueling a powerful, *New International market*.
- Rao AV, Ray MR, Rao LG. 2006. Lycopene. *Adv Food Nutr Res* 51: 99–164.
- Boileau TW, Boileau AC Erdman JW. 2002. Bioavailability of all-trans and cis- isomers of lycopene. *Exp Biol Med* 227, 914-919.
- Tennant D. 2007. Potential intakes of lycopene from natural dietary sources.
- Hoppe PP. 2003. Synthetic and tomato-based lycopene have identical bioavailability in humans. *Eur J Nutr* 42, 272-278.
- EC. 1994. European Parliament and Council Directive 94/36/EC on colours for use in foodstuffs. *Official Journal L* 237 13 – 29, 10.
- EFSA. 2005a. Opinion of the Scientific Panel on Dietetic Products, Nutrition and Allergies on a request from the Commission related to an application on the use of α -tocopherol-containing oil suspension of lycopene from *Blakeslea trispora* as a novel food ingredient. *The EFSA Journal* 212, 1-29.
- EFSA. 2005b. Opinion of the Scientific Panel on Food Additives, Flavourings, Processing Aids and Materials in contact with food in an opinion on the use of α - tocopherol containing oil suspensions and cold water dispersible forms of lycopene from *B. trispora* as a food colour. *The EFSA Journal* 275, 1-17.
- ACNFP. 2004. Opinion on an application under the Novel Foods Regulation for Lycopene from *Blakeslea trispora*. Advisory Committee for Novel Foods and Processes, U.K. Food Standards Agency.
- Agarwal A, Shen H, Agarwal S, Rao A. 2001. Lycopene content of tomato products: its stability, bioavailability and in vivo antioxidant properties. *J Med Food* 4:9–15.
- Heber D, Lu QY. 2002. Overview of mechanism of action of lycopene. *Exp Biol Med* 227: 920–923.
- Cronin JR. 2000. Lycopene; The powerful antioxidant that makes tomatoes red. *Altern*.
- Kopec R, Schwartz SJ, Hadley C. 2010. Lycopene. In: Coates PM, Betz JM, Blackman MR. *Encyclopedia of Dietary Supplements*. 2nd ed. New York, NY: I pp504-17.
- Ukai N, Lu Y, Etoh H. 1994 Photosensitized oxygenation of lycopene. *Biosci Biotechnol Biochem* 58:1718–1719.
- Krinsky NI. 1992. Mechanism of action of biological antioxidants. *Pro So Exp Biol Med* 200:248–254.
- Mills PK, Beeson WL, Phillips RL, Fraser GE. 1989. Cohort study of diet, lifestyle, and prostate cancer in adventist men. *Cancer* 64:598-604.
- Giovannucci E, Ascherio A, Rimm EB, Stampfer MJ, Colditz GA, Willett WC. 1995. Intake of carotenoids and retinol in relation to risk of prostate cancer. *J Natl Cancer Inst* 87:1767-76.
- Schuman LM, Mandel JS, Radke A, Seal U, Halberg F. 1976-1979. Some selected features of the epidemiology of prostatic cancer: Minneapolis-St. Paul, Minnesota case-control study.
- Le Marchand L, Hankin JH, Kolonel LN, Wilkens LR. 1991. Vegetable and fruit consumption in

relation to prostate cancer risk in Hawaii: a reevaluation of the effect of dietary beta-carotene. *Am J Epidemiol* 133:215-9.

- Key TJ, Silcocks PB, Davey GK, Appleby PN, Bishop DT. 1997. A case-control study of diet and prostate cancer. *Br J Cancer* 76:678-8
- Hsing AW, Comstock GW, Abbey H, Polk BF. 1990. Serologic precursors of cancer. Retinol, carotenoids, and tocopherol and risk of prostate cancer. *J Natl Cancer Inst* 82:941-6.
- Gann PH, Ma J, Giovannucci E, Willett W, Sacks F, Hennekens CH. 1998. A prospective analysis of plasma antioxidants and prostate cancer risk. *Proc Am Assoc Cancer Res* 39:89.
- Nomura AM, Stemmermann GN, Lee J, Craft NE. 1997. Serum micronutrients and prostate cancer in Japanese Americans in Hawaii. *Cancer Epidemiol Biomarkers Prev* 6:487-91.
- Rajendran R. 1994. Oral submucous fibrosis: etiology, pathogenesis, and future research. *Bull World Health Organ* 72: 985–96.
- Kumar A, Bagewadi A, Keluskar V, Singh M. 2007. Efficacy of lycopene in the management of oral submucous fibrosis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 103: 207.
- Singh M, Krishanappa R, Bagewadi A, Keluskar V. 2004 Efficacy of oral lycopene in the treatment of oral leukoplakia. *Oral Oncol* 40: 591–6.
- Nagao T, Ikeda N, Warnakulasuriya S. 2000. Serum antioxidant micronutrients and the risk of oral leukoplakia among Japanese. *Oral Oncol* 36: 466–70.
- Beevi SS, Rasheed AM, Geetha A. 2004. Evaluation of oxidative stress and nitric oxide levels in patients with oral cavity cancer. *Jpn J Clin Oncol* 34: 379–85.
- Gokul S, Patil V, Jaiikhani R, Hallikeri K, Kattappagari K. 2010. Oxidant-antioxidant status in blood and tumor tissue of oral squamous cell carcinoma patients. *Oral Dis* 16: 29–33.
- Manoharan S, Kolanjiappan K, Suresh K, Panjamurthy K. 2005. Lipid peroxidation & antioxidants status in patients with oral squamous cell carcinoma. *Indian J Med Res* 122:529-34.
- Zheng T, Boyle P, Willett WC. 1993. A case-control study of oral cancer in Beijing, People's Republic of China. Associations with nutrient intakes, foods and food groups. *Eur J Cancer B Oral Oncol* 29B: 45–55.
- Franceschi idoli a o n AE. 1991. Nutrition and cancer of the oral cavity and pharynx in north-east Italy. *Int J Cancer* 47: 20–5.
- De Stefani E, Oreggia F, Boffetta P, Deneo-Pellegrini H, Ronco A, Mendilaharsu M. 2000. Tomatoes, tomato-rich foods, lycopene and cancer of the upper aerodigestive tract: a case-control in Uruguay. *Oral Oncol* 36: 47–53.
- Livny O, Kaplan I, Reifen R, Polak-Charcon S, Madar Z, Schwartz B. 2002. Lycopene inhibits proliferation and enhances gap-junction communication of KB-1 human oral tumor cells. *J Nutr* 132: 3754–9.
- Cheng HC, Chien H, Liao CH, Yang YY, Huang SY. 2007. Carotenoids suppress proliferating cell nuclear antigen and cyclin D1 expression in oral carcinogenic models. *J Nutr Biochem* 18: 667–75.
- Nkondjock A, Ghadirian P, Johnson KC, Krewski D. 2005. Dietary intake of lycopene is associated with reduced pancreatic cancer risk. *J Nutr* 135(3):592–7.
- Bhuvaneshwari V, Abraham SK, Nagini S. 2005. Combinatorial antigenotoxic and anticarcinogenic effects of tomato and garlic through modulation of xenobiotic-metabolizing enzymes during

- hamster buccal pouch carcinogenesis. *Nutrition* 21:726–313.
- Liu C, Lian F, Smith DE, Russell RM, Wang XD. 2003. Lycopene supplementation inhibits lung squamous metaplasia and induces apoptosis via up-regulating insulin-like growth factor-binding protein 3 in cigarette smoke-exposed ferrets. *Cancer Res* 63, 3138–3144.
 - Omenn GS, Goodman GE, Thornquist MD. 1996. Risk factors for lung cancer and for intervention effects in CARET, the Beta-Carotene and Retinol Efficacy Trial. *J Natl Cancer Inst* 88, 1550–1559.
 - Muzandu K, Ishizuka M, Sakamoto KQ, Shaban Z, El Bohi K, Kazusaka A, Fujita S. 2006. Effect of lycopene and betacarotene on peroxynitrite-mediated cellular modifications. *Toxicol Appl Pharmacol* 215, 330–340.
 - Tang L, Jin T, Zeng X, Wang J S. 2005. Lycopene inhibits the growth of human androgen-independent prostate cancer cells in vitro and in BALB/c nude mice. *J Nutr* 135, 287–290.
 - Palozza P, Serini S, Di Nicuolo F, Calviello G. 2004. Modulation of apoptotic signalling by carotenoids in cancer cells. *Arch Biochem Biophys* 421, 104–109.
 - Freudenheim JL, Graham S, Marshall JR, Haughey BP, Wilkinson G. 1990. A case-control study of diet and rectal cancer in western New York. *Am J Epidemiol* 131:612-24.
 - Centonze S, Boeing H, Leoci C, Guerra V, Misciagna G. 1994. Dietary habits and colorectal cancer in a low-risk area. Results from a population-based case-control study in southern Italy. *Nutr Cancer* 21:233-46.
 - Tuyns AJ, Kaaks R, Haelterman M. 1988. Colorectal cancer and the consumption of foods: a case-control study in Belgium. *Nutr Cancer* 11:189-204.
 - Hu JF, Liu YY, Yu YK, Zhao TZ, Liu SD, Wang QQ. 1991. Diet and cancer of the colon and rectum: a case-control study in China. *Int J Epidemiol* 20:362-7.
 - Franceschi S, Favero A, La Vecchia C, Negri E, Conti E, Montella M. 1997. Food groups and risk of colorectal cancer in Italy. *Int J Cancer* 72:56-61.
 - Roger VL, Go AS, Lloyd-Jones DM. 2011. American Heart Association Statistics Committee and Stroke Statistics Subcommittee. Heart disease and stroke statistics – update: a report from the American Heart Association *Circulation* 123(4):e18–e209.
 - Riccioni G, Mancini B, Di Ilio E, Bucciarelli T, D’Orazio N. 2008. Protective effect of lycopene in cardiovascular disease. *Eur Rev Med Pharmacol Sci* 12(3):183-190.
 - Mordente A, Guanterio B, Meucci E. 2011. Lycopene and cardiovascular diseases: an update. *Curr Med Chem* 18 (8):1146-68.
 - Sesso HD, Liu S, Gaziano JM, Buring JE. 2004. Dietary lycopene, tomato-based food products and cardiovascular disease in women and in men. *J Nutr* 134(9):2336-41.
 - Goulinet S, Chapman MJ. Plasma LDL and HDL subspecies are heterogenous in particle content of tocopherols and oxygenated and hydrocarbon carotenoids. Relevance to oxidative resistance and atherogenesis. 1997. *Arterioscler Thromb Vasc Biol* 17:786–96.
 - Hu MY, Li YL, Jiang CH, Liu ZQ, Qu SL, Huang YM. 2008. Comparison of lycopene and fluvastatin effects on atherosclerosis induced by a high-fat diet in rabbits. *Nutrition* 24:1030–1038.
 - Verghese M, Richardson JE, Boateng J, Shackelford LA, Howard C, Walker LT, Chawan CB. 2008. Dietary lycopene has a protective effect on cardiovascular disease in New Zealand male rabbits.

J Biol Sci 8: 268–277.

- Dugas TR, Morel DW, Harrison EH. 1998. Impact of LDL carotenoids and alpha-tocopherol content on LDL oxidation by endothelial cells in culture. *J Lipid Res* 39:999–1007.
- Peto R, Collins R, Gray R. 1995. Large-scale randomized evidence: large, simple trials and overviews of trials. *J Clin Epidemiol* 48: 23–40.
- Cashman K D. 2007. Diet, Nutrition, and Bone Health. *J Nutr* 137(11): 2507S-2512.
- Hegge K A, Fornoff AS, Gutierrez SL, Haack SL. 2009. New therapies for osteoporosis. *Journal of Pharmacy Practice* 22(1): 53-64.
- De Villiers T J. 2009. Bone health and osteoporosis in postmenopausal women. *Best Pract Res Clin Obstet Gynaecol* 23(1): 73-85.
- Puel C, Coxam V, Davicco MJ. 2007. Mediterranean diet and osteoporosis prevention. *Med Sci Paris* 23(8-9): 756-60.
- Basu S, Michaelsson K, Olofsson H, Johansson S, Melhus H. 2001. Association between oxidative stress and bone mineral density. *Biochem Biophys Res Commun* 288:275-9.
- Krishnadev N, Banasikowska K, Rao AV. 2003. Lycopene I - Effect of osteoclasts: Lycopene inhibits basal and parathyroid hormone-stimulated osteoclast formation and mineral resorption mediated by reactive oxygen species in rat bone marrow cultures. *J Med Food* 669-78.
- Kim L, Rao AV, Rao LG. 2003. Lycopene II-Effect on osteoblasts: The carotenoid lycopene stimulates cell proliferation and alkaline phosphatase activity of SaOS-2 cells. *J Med Food* 679-86.
- Salonen JT, Yla-Herttuala S, Yamamoto R. 1992. Autoantibody against oxidised LDL and progression of carotid atherosclerosis. *Lancet* 339:883–7.
- Zhang J. 2006. Antioxidant Intake and Risk of Osteoporotic Hip Fracture in Utah: An Effect Modified by Smoking Status. *Am J Epidemiol* 163(1): 9-17.
- Maggio D. 2003. Marked decrease in plasma antioxidants in aged osteoporotic women: results of a cross-sectional study. *J Clin Endocrinol Metab* 88:1523-1527.
- Yang Z, Zhang Z, Penniston KL, Binkley N, Tanumihardjo SA. 2008. Serum carotenoid concentrations in postmenopausal women from the United States with and without osteoporosis. *Int J Vitam Nutr Res* 78(3): 105-11.
- Pasco, JA. 2006. Antioxidant vitamin supplements and markers of bone turnover in a community sample of nonsmoking women. *J Womens Health Larchmt* 15(3): 295- 300.
- Sugiura M. 2008. Bone mineral density in post-menopausal female subjects is associated with serum antioxidant carotenoids. *Osteoporos Int* 19(2): 211-9.
- Sahni S. 2009. Protective Effect of Total Carotenoid and Lycopene Intake on the Risk of Hip Fracture: A 17-Year Follow-Up From the Framingham Osteoporosis Study. *J Bone Miner Res*.
- Lippens S, Hoste E, Vandenabeele P. 2009. Cell death in the skin. *Apoptosis* 14:549- 569.
- Miller AJ, Mihm MC Jr. 2006. *Melanoma*. *N Engl J Med* 355:51-65.
- Halliday GM. 2005. Inflammation, gene mutation and photoimmunosuppression in response to UVR-induced oxidative damage contributes to photocarcinogenesis. *Mutat Res* 571:107-20.
- Burke KE. 2010. Photoaging: the role of oxidative stress. *G Ital Dermatol Venereol* 145:445-59.
- Lopes LB, VanDeWall H, Li HT. 2010. Topical delivery of lycopene using microemulsions: enhanced skin penetration and tissue antioxidant activity. *J Pharm Sci* 99:1346-57.

- Darvin M, Patzelt A, Gehse S. 2008. Cutaneous concentration of lycopene correlates significantly with the roughness of the skin. *Eur J Pharm Biopharm* 69:943-7.
- Erdman JW Jr, Bierer TL, Guggen ET. 1993. Absorption and transport of carotenoids. In: Olson JA, editor. Carotenoids in human health. New York Academy of Sciences pp. 76–85.
- Allen CM. 2000. Effects of consumption of fresh and processed tomato products on blood and tissue lycopene concentrations. Columbus, Ohio: The Ohio State Univ.
- Allen CM, Smith AM, Clinton SK, Schwartz SJ. 2002. Tomato consumption increases lycopene isomer concentrations in breast milk and plasma of lactating women. *J Am Diet Assoc* 102:1257-62.
- Bohm V, Bitsch R. 1999. Intestinal absorption of lycopene from different matrices and interactions to other carotenoids, the lipids status and the antioxidant capacity of human plasma. *Eur J Nutr* 38:118-25.
- Boileau AC, Merchen NR, Wasson K, Atkinson C, Erdman, J Jr. 1999. Cis-lycopene is more bioavailable than trans-lycopene *in vitro* and *in vivo* lymph-cannulated ferrets. *J Nutr* 129, 1176-1181.
- Boileau TW, Boileau AC, Erdman JW Jr. 2002. Bioavailability of all-trans and cis- isomers of lycopene. *Exp Biol Med* 227 (10):914-9.
- Liu A, Pajkovic N, Pang Y, Zhu D, Calamini B, Mesecar AL, van Breemen RB. 2006. Absorption and subcellular localization of lycopene in human prostate cancer cells. *Mol Cancer Ther* 5:2879–2885.
- Rock CL, Swendseid ME, Jacob RA, McKee RW. 1992. Plasma carotenoid levels in human subjects fed a low carotenoid diet. *J Nutr* 122:96–100.
- Anjos Ferreira AL, Yeum KJ, Russell RM, Krinsky NI, Tang G. 2003. Enzymatic and oxidative metabolites of lycopene. *J Nutr Biochem* 14:531-40.
- Moussa M, Gouranton E, Gleize B, Yazidi CE, Niot I, Besnard P, Borel P, Landrier JF. 2011. CD36 is involved in lycopene and lutein uptake by adipocytes and adipose tissue cultures. *Mol Nutr Food Res* 55:578–84.
- Khachik F, Carvalho L, Bernstein PS, Muir GJ, Zhao DY, Katz NB. 2002. Chemistry, distribution, and metabolism of tomato carotenoids and their impact on human health. *Exp Biol Med* 227:845–851.
- Gustin DM, Rodvold KA, Sosman JA, Diwadkar-Navsariwala V, Stacewicz- Sapuntzakis M, Viana M, Crowell JA, Murray J, Tiller P, Bowen PE. 2004. Single-dose pharmacokinetic study of lycopene delivered in a well-defined food-based lycopene delivery system (tomato paste-oil mixture) in healthy adult male subjects. *Cancer Epidemiol Biomarkers Prev* 13:850–860.
- EFSA. 2008. Scientific Opinion of the Panel on Food Additives, Flavourings, Processing Aids and Materials in Contact with Food on a request from the Commission on the safety in use of lycopene as a food colour. *The EFSA Journal* 674, 1-61.
- Jewell C O' rien NM. 1999. Effect of dietary supplementation with carotenoids on xenobiotic metabolizing enzymes in the liver, lung, kidney and small intestine of the rat. *Br J Nutr* 81, 235-242.
- Jonker D, Kuper, CF, Fraile N, Estrella A, Otero, CR. 2003. Ninety-day oral toxicity study of lycopene from *Blakeslea trispora* in rats. *Regul Toxicol Pharmacol* 37, 396- 406.

- Mellert W, Deckardt K, Gemhardt C, Schulte S, Van Ravenzwaay B, Slesinski RS. 2002. Thirteen-week oral toxicity study of synthetic lycopene products in rats. *Food Chem Toxicol* 40, 1581.
- Buser S, Urwyler H, 1996. Lycopene: 14-week Oral Toxicity Study in the Rat; Protocol No. 157V94 / Vol. I-II; Roche Research Report No. B- 161'162.
- Scientific Committee for Food. 1999. Opinion on synthetic lycopene as a colouring matter for use in foodstuffs.
- Zhao Z, Khachik F, Rihie J P Jr, Cohen LA. 1998. Lycopene uptake and tissue disposition in male and female rats. *Proc Soc Exp Biol Med* 218, 109-114.
- Christian MS, Schulte S, Hellwig J. 2003. Developmental (embryo-foetal toxicity/teratogenicity) toxicity studies of synthetic crystalline lycopene in rats and rabbits. *Food Chem Toxicol* 41, 773-783.
- Eckhardt K. 1996. Lycopene and Lycopene-C25-Aldehyde: Embryotoxicity and Teratogenicity study in rats. Roche Research Report No. B-163'302.
- Edwards JA, Elste V, Goelzer P, Spitzer V, Schierle J. 2002. Lycopene: Sighting investigation of absorption and tolerance following gavage administration to the rabbit, RDR Report N 1008910.
- Edwards JA, Marburger A, Schierle J, Spitzer V. 2004a. Lycopene 10% WS beadlets Prenatal Developmental Toxicity Study in the Han Wistar Rat, RCC Study Number: 848973, RDR Report N 1016176.
- Zbinden G, Studer A, 1958. Tierexperimentelle untersuchungen uber die chronische vertraglichkeit von beta-carotin, lycopin, 7,7'-dihydro-beta-carotin und bixin. *Z Lebensmitt Untersuch* 108, 113-134.
- Rauscher R, Edenharder R, Platt KL. 1998. In vitro antimutagenic and in vivo anticlastogenic effects of carotenoids and solvent extracts from fruits and vegetables rich in carotenoids. *Mutat Res* 413(2), 129-142.
- Muster W. 1996a. In vitro/in vivo rat hepatocyte DNA repair test with Lycopene 10% CWS (Ro 01-9251), Unscheduled DNA synthesis (UDS) test in vivo; Roche study No. 196M95, Roche Research Report No. B-163'211.
- Miller B. 1996a. Chromosome analysis in human peripheral blood lymphocytes treated *in vitro* with Ro 01-9251 (Lycopene 10% CWS) in the presence and in the absence of a metabolic activating system (Study No. 08M95), Roche Research Report No. B-164'910.
- He Y, Campbell TC. 1990. Effects of carotenoids on aflatoxin B1-induced mutagenesis in *S. typhimurium* TA 100 and TA 98. *Nutr Cancer* 13, 243-253.
- Gocke E. 1996. Mutagenicity evaluation of various preparations of Lycopene in the Ames test; Roche Research Report No. B- 163'291.
- Aizawa K, Inakuma T, Oshima S. 2000. Assessment of the mutagenicity of lycopene by the Ames test. *Nippon Nogeikagaku Kaishi* 74, 679-681.
- Miller B. 1996b. Micronucleus test in mouse bone marrow after oral administration Lycopene 10% CWS. Roche Research Report No. B-164'911.
- Muster W.1999. Lycopene containing soft drinks: Micronucleus Test (MNT) in Peripheral Blood of Mice (Drinking Water). Roche Research Report No. B-165'536.
- Pool-Zobel BL, Bub A, Muller H, Wollowski I, Rechkemmer G.1997. Consumption of vegetables reduces genetic damage in humans: First result of a human intervention trial with carotenoid-

rich foods. *Carcinogenesis* 18, 1847-1850.

- Riso P, Pinder A, Santangelo A, Porrini M. 1999. Does tomato consumption effectively increase the resistance of lymphocyte DNA to oxidative damage? *Am J Clin Nutr* 69, 712-718.
- Guttenplan JB, Chen M, Kosinska W, Thompson S, Zhao Z, Cohen LA. 2001. Effects of a lycopene-rich diet on spontaneous and benzo[a]pyrene-induced mutagenesis in prostate, colon and lungs of the lacZ mouse. *Cancer Lett* 164, 1-6.
- Popp JA, Scortichini BH, Garvey LK. 1985. Quantitative evaluation of hepatic foci of cellular alteration occurring spontaneously in Fischer - 344 rats. *Fundam Appl Toxicol* 5, 314-319.
- Popp JA. 2006. Expert opinion on interpretation of rodent hepatic basophilic foci as an indicator of an adverse effect.
- Smith T, Schierle J, Decker-Ramanzina N, Edwards JA. 2007. Lycopene 10% WS Beadlets, 104 Week Oral Dietary Administration Carcinogenicity Study in the Rat RDR Report No. 2500022.
- Reich P. 1960. Lycopopenia, a variant of carotenemia. *The New England Journal of Medicine* 262, 263-269.
- La Placa M, Pazzaglia M, Tosti A. 2000. Lycopenaemia. *J Eur Acad Dermatol Venereol* 14, 311-2.
- Bonnetblanc JM, Bonafe, JL, Vidal E. 1987. Carotenodermies dietetiques. *Ann Dermatol Venereol* 114, 1093-1096.
- Hininger IA, Meyer-Wenger A, Moser U, Wright A, Southon S, Thurnham D, Chopra M, Van Den Berg H, Olmedilla B, Favier AE, Roussel AM. 2001. No significant effects of lutein, lycopene or beta-carotene supplementation on biological markers of oxidative stress and LDL oxidizability in healthy adult subjects. *J Am Coll Nutr* 20(3), 232-8.
- Micozzi MS, Brown ED, Edwards BK, Bieri JG, Taylor PR, Khachik F, Beecher GR, Smith JC Jr. 1992. Plasma carotenoid response to chronic intake of selected foods and beta-carotene supplements in men. *Am J Clin Nutr* 55, 1120-1125.
- Olmedilla B, Granado F, Southon S, Wright AJA, Blanco I, Gil-Martinez E, Van den Berg H, Thurnham D, Corridan B, Chopra M, Hininger I. 2002. A European multicentre, placebo-controlled supplementation study with alpha-tocopherol, carotene-rich palm oil, lutein or lycopene: analysis of serum responses. *Clin Sci* 102, 447-456.
- Kucuk O, Sarkar FH, Sakr W, Djuric Z, Pollak MN, Khachik F, Li YW, Banerjee M, Grignon D, Bertram JS, Crissman JD, Pontes EJ, Wood DP Jr. 2001. Phase II randomized clinical trial of lycopene supplementation before radical prostatectomy. *Cancer Epidemiol Biomarkers Prev* 10, 861-868.
- Chopra M, O'Neill M, Keogh N, Wootley G, Southon S, Thurnham DI. 2000. Influence of increased fruit and vegetable intake on plasma and lipoprotein carotenoids and LDL oxidation in smokers and non-smokers. *Clin Chem* 46, 1818-1829.
- Watzl B, Bub A, Blockhaus M, Herbert BM, Lührmann PM, Neuhäuser-Berthold M, Rechkemmer G. 2000. Prolonged tomato juice consumption has no effect on cell-mediated immunity of well-nourished elderly men and women. *J Nutr* 130, 1719-1723.
- Di Mascio P, Kaiser S, Sies H. 1989. Lycopene as the most effective biological carotenoid singlet oxygen quencher. *Arch Biochem Biophys* 274(2):532-8.
- Kun Y, Lule US, Xiao-Lin D. 2006. Lycopene: its properties and relationship to human health. *Food Rev Int* 22:309-33.