

## BIBLIOGRAFIA

1. Ebling F.J (1987)Biology of Hair Follicles.In:Fitzpatrick TM,EisenAZ,Wolf K,Freedberg IM,And Austen KF(Eds) *Dermatology in General Medicine*.3rd Edition,McGraw Hill,N.Y
2. Montagna W,Ellis FA (Eds) (1958) *The Biology of Hair Growth* ,N.Y.,Academic Press
3. Kligman AM (1959).The human hair cycle. *J Invest Dermatol*, 33:307-
4. Robbins C (2006)Hair breakage during combing.I:Pathways to breakage,*J Soc Cosmet Chem*, 57:233-243
5. Parry DAD (1997)Protein chains in hair and epidermal keratin IF,structural features and special arrangements .In:P Jolles,H Zahn and H Hocker (Eds) *Formation and structure of human hair*, Basel,Switzerland ,Birkhauser Verlag,pp 177-207
6. Robbins CR(1994) *Chemical and Physical Behavior of Human Hair*. 3rd Ed,New York,USA,Springer-Verlag
7. Robbins C and Kameth Y (2007).Hair breakage during combing.III: The effects of bleaching and conditioning on short and long segment breakage by beet and dry combing of stresses ,*J Soc Cosmet Chem*, 58:477-484
8. Evans T(2012)Hair Care Product Claims.In:T Evans and R Wickett (eds)*Practical Modern Hair Science*,Carol Stream,IL,USA,pp491-526
9. Collina A(2019)Sustainable Products:The Innovation Strategy for the Eurooean Chemical Industry.In:P.Morganti (Ed)*Bionanotecnology to Save the Environment.Plant and Fishery's Biomass as Alternative to Petrol*,Basel,Switzerland,MDPI Edition,pp 13-179
10. Morganti P,Chen Hong-Duo,and Li YH(2019) Green Bioeconomy for a More Sustainable Environment.In: P.Morganti(Ed)*Bionanotechnology to Save the Environment .Plant and Fishery's Biomass as Alternative to Petrol*.Basel,Switzerland,MDPI Edition,pp 39-59.
11. Cinelli P,Coltelli MB,Mallegni N, and Lazzeri A (2019).Biodegradable and Biobased Polymers:Definitions,Standards, and Future Perspectives.In:P.Morganti (Ed) *Bionanotechnology to Save the Environment.Plant and Fishery's Biomass as Alternative to Petrol*.Basel,Switzerland,MDPI Edition, pp 195-124.
12. Morganti P(Ed)(2019). *Bionanotechnology to Save the Environment*.Plant and Fishery's Biomass as Alternative to Petrol.Basel,Switzerland ,MDPI Edition.
13. Benkeblia N (2014).Polysaccharides:Natural Fibers in Food and Nutrition.New York,CRC-Press.
14. Yan N and Chen X.(2015) Don't waste seafood waste,*Nature*,524:155-157
15. Morganti P,Gao X,Chen HD(2018)Chitin & Lignin:Turning Food Waste into Cosmeceuticals, 2018,3(1) [dx.doi.org/10.16966/2576-2826.13](https://doi.org/10.16966/2576-2826.13)
16. Yadav M,Goswami P,Paritosh K,Kumar M,Pareek N and Vivekanad V(2019)Seafood waste: a source for preparation of commercially employable chitin/chitosan materials ,*Biore sour. Bioprocess. I'm JNHnhyhyA* (2019)6:8 <https://doi.org/10.1186/s40643-019-0243-y>
17. Gustavsson J,Cederberg C,Sonesson U,Van Otterdijk R and Meybeck A(2011).Global food losses and food waste-Extent,causes and prevention,FAO,Rome,Italy
18. Gavazzoni Dias MF,de Almeida yay AM,Cecato PM,Adriano AR, and Pichler J(2014).The Shampoo pH can Affect the Hair:Mith or Reality.*Int J Trichology*,6(3):95-99 doi:10.4103/0974-7753.139078
19. Robbins CR and Crawford RJ (1991) Cuticle damage and the tensile properties of human hair. *J Soc Cosmet Chem*,42:59-67
20. Zhang ML,Fan YT,Xing Y,Pan CM,Zhang GS, and Kay JJ(2007). Enhanced bio- hydrogen production from cornstalk wastes with acidification pretreatment by mixed a aerobic cultures. *Biomass Bioenergy* 31:250-254.

21. Morganti P and Stoller M (2017) Chitin and Lignin:Natural Ingreduenta from Waste Materials to make Innovative and Healthy Products for Human and Plant. *Chem Eng. Transactions*,60:319-324 doi:10.3303/CET1760054
22. Vinardell MP and Mitjans M(2017). Lignins and Their derivatives with Beneficial Effects on Human Health. *Int J Mol Sci*, 2017,18,1219;doi:10.3390/ijms18061219
23. Gellerstedt G and Henriksson G (2008) .Lignins:Major Sources,Structure and Properties.In :*Monomers,Polymers and Composites from Renewable Resources* ;Elsevier,Amsterdam,The Netherlands,pp 201-224.
24. Laurichesse S and Averous L(2014). Chemical modification of lignins: Towards Biobased polymers . *Prog Polym Sci*, 39:1266-1290.
25. Cai X,Riedl B,Zhang SY,and Wan H (2008).The impact of the nature of nanofillers on the performance of wood polymer nanocomposites. *Compose Part A Appl Sci Manuf* ,39:727-737.
26. Qian Y,Zhong X,Li Y,and Qiu X(2017).Fabrication of uniform lignin colloidal spheres for developing natural broad-spectrum sunscreens with high sun protection factor. *Ind Crops Prod*, 101:54-60.
27. Telysheva G,Dizhbite T,Lebedeva G,and Nikoleava V (2005).Lignin products fir decontamination of environment objects from pathogenic microorganisms and pollutants.In :*Proceedings of the 7th ILI Forum*,Barcellna,Spsin,27-28 April, pp71-74
28. Beisl S,Friedl A, and Miltner A (2017) Lignin from Micto- to Nanosize :Applications.*Int J Mol Sci*, 2017,18,2367; doi:10.3399/ijms18112367.
29. Named I,Ozogul F, and Regenstein JM (2016) Industrial applications of crustacean by-products(chitin,Chitisan, and chitooligosaccharides):A review. *Trends in Food Science & Technology*, 48:40-50 doi:10.1016/j.tifs.2015.11.007
30. Nikolov S,Petrov M,Lymperakis L,Friak M,Sachs C,Fabritius HO,Raabe D and Neugebauer J (2010). Revealing the Design Principles of High-Performance Biological Composites using Ab initio and Multiscale Simulations:The Example of Lobster Cuticle. *Adv Mater*, 22:519-526 ; doi: 10.1002/ad a.200902019
31. Ramirez MA,Rodriguez AT,Alfonso L, and Peniche C (2010) Chitin and its derivatives as biopolymers with potential agricultural applications. *Biotecnologia Aplicada* 27:270-276.
32. Venkatesan J and Kim SK (2010). Chitosan composites for bone tissue engineering.An overview. *Mar Drugs*, 8:2252-2266 .
33. Zhang X and Roland M(2017) Engineering strategies for chitin nanofibers, *J Mater Chem B* ,5:2547-2559; doi:10.1039/c6tb03324e
34. FAO (2017)Increased production of farmed shrimp leads to improved international trade.GLOBEFISH-analysis and information on world fish trade. [www.fao.org/in-action/globefish/market-reports/en/c/989543/](http://www.fao.org/in-action/globefish/market-reports/en/c/989543/) Accessed 6 April 2019
35. Mao X,Guo N,Sun J and Zue C (2017).Comprehensive utilization of shrimp waste based on biotechnological methods:a review *J Clean Prod* 143:814-823
36. Islam MS,Khan S, and Tanaka M(2004).Waste loading in shrimp and fish processing effluents:potential source of hazardous to the coastal and nearshore environments. *Marine Pollution Bulletin*, 49:103-110.
37. Morganti P and Morganti G(2008) Chitin nanofibrils for advanced cosmeceuticals. *Clin Dermatol* ,26:334-340.
38. Madhiahally SV and Matthew HW (1999). Porous Chitosan scaffolds for bone tissue engineering . *Biomaterials* , 20(12):1133-114.
39. Park BK and Kim MM (2010) Application of Chitin and its Derivatives in Biological Medicine, *J Mol Sci* 11:5152-5164

40. Morganti P(2016) Use of Chitin Nanofibrils from Biomass for an Innovative Bioeconomy .In:J Ebothe' and W Ahmed (Eds) *Nanofabrication using Nanomaterials*,Manchester,UK,One Central Press, pp 1-22
41. Morganti P,Del Ciotto P,Stoller M, and Chianese A(2016) Antibacterial and Anti-inflammatory Green Nanocomposites . *Chem Eng Transactions*, 47:61-66 doi:10.3303/CET1647011
42. Morganti P,Fusco A,Paoletti I,Perfetto B,Del Ciotto P,Palombo M,Chianese A,Baroni A, and Donnarumma G (2017)Antiinflammatory,Immunomodulatory,And Tissue Repair Activity in Human Keratinocytes by Green Nanocomposites. *Materials*,2017,843; doi:10.3390/ma10070843
43. Jui YY,Chin TN,Ing TS,Cardillo M,Gagliardini A, and Morganti P(2019).Cross-Sectional Study Design and Dara Analysis of the Effect of Chitin Nanofibrils-Lignin Micro/Nano Particles on Malaysia's Subjects with Skin Disorders. *J Clin Cosmet Dermatol* 3:1-6 ISSN 2576-2826
44. Je J and Kim S (2006) Chitosan derivatives killed bacteria by disrupting the outer and inner membrane . *J Agric Food Chem*, 54:6629-6633.
45. Yudin VE,Dobrovolskaya IP,Neelov IM,Elokhovski VY,Kasatkin IA,Okrugin BM ,Morganti P (2014) Wet spinning of fibers made of chitan and chitin Nanofibrils .*Carbohydrate Polymers*,108:176-182. <http://dx.doi.org/10.1016/j.carbpol.2014.02.090>
46. El-Say KM and El-Sawy HS (2917)Polymeric nanoparticles:Promising platform for drug delivery .*Int J Pharmaceutics* 528:675-691 dx.doi.org/10.1016/j.ijpharm.2017.06.052
47. Rao JP and Geckeler KE (2011) Polymer nanoparticles techniques and size-control parameters .*Prog Polym Sci*, 36:887-913
48. Ming LC,Ang WC,Yang Q,Thitilertdecha O,Wong TW, and Khan TM(2017)Cosmeceuticals:Safety,Efficacy and Potential Benefits.*In:Advances in Medical Technologies and Clinical Practice*, IGI Global,Australia,pp 287-289 doi:10.4018/978-1-5225-0754-3.ch010.
49. Shin KO,Park HS (2019) Antiaging Cosmeceuticals in Korea and Open Innovation in the Era of the 4th Industrial Revolution:From Research to Business. *Sustainability*,2019,11,898;doi:19.3399/su11030898
50. Morganti P and Coltell MB(2019)A new Carrier for Advanced Cosmeceuticals, *Cosmetics*,2019,6,10.3390/cosmetics6010010
51. Mintel(2018).Facial Skincare Market Research Reports-Consumer Behaviour Analysis-Market Trend. *Persistent Market Research*, Mintel Group Ltd,London,UK
52. Schoenberg FJ and Lemons JE (2004)Biomaterial Science:A multidisciplinary Endeavor .In :*Biomaterial Science:An Introduction to Materials in Medicine* 2th Ed,Esevier Academic Press, San Diego,CA,USA, PP 1-9
53. Randall Wickett R(2012).Mechanical Properties of Hair.In: T Evans and R Randall Wickett (Eds). *Practical Modern Hair Science*,Alluredbooks,Carol Stream,IL,USA,pp 223-250 [www.Alluredbooks.com](http://www.Alluredbooks.com)
54. Popescu C (2012) Hair Damage.In:T Evans and R Randall Wickett (Eds). *Practical Modern Hair Science*, Alluredbooks,Carol Stream,IL,USA,pp 366-388.
55. Zviak C(2012) Permanent Waving and Hair Straightening.In:T Evans and R Randall Wickett(Eds), *Practical Modern Hair Science*, Allured books,Carol Stream,IL,USA, pp 183-212. [www.Alluredbooks.com](http://www.Alluredbooks.com)
56. Evans T and Randall Wichett R (Eds)(2012). *Practical Modern Hair Science*.Carol Stream,IL,USA,Allured-books .[www.Alluredbooks.com](http://www.Alluredbooks.com)
57. Anastopoulos I,Bhatnagar A,Bikiaris DN, and Kyzas GZ(2017): Chitin Adsorbents for toxic metals: A review. *Int J Mol Sci*,2017,18,114; doi: 10.3390/ijms18010114

58. Azuma K,Koizumi R,Izawa H,Morimoto M,Saimoto H,Osaki T,Ito N et al (2018).:Hair Growth-promoting activities of chitosan and surface-deacetylated chitin nano-fibers.*ScienceDirect*, 126:11-17 .<https://doi.org/10.1016/j.ijbiomac.2018.12.135>
59. Biagini G,Zizzi A,Giantomassi F,Orlando F,Lucarini G,Mattioli Belmonte M,Tucci MG and Morganti P(2008)Cutaneous absorption of nanostructured chitin associated with natural synergistic molecules(lutein) *J Appl Cosmetol*, 26:69-80
60. FAO(2011) Food wastage footprint & Climate Change.Food Agricultural Organization,Rome,Italy. [www.fao.org/nr/sustainability/food-loss-and-waste](http://www.fao.org/nr/sustainability/food-loss-and-waste)